



LKT-NiCrMo-4

LKM-NiCrMo-4

LINKWELD ALLOYS INC.

AWS A5.14 ERNiCrMo-4
JIS Z3334 YNiCrMo-4

Characteristics and Applications:

It is suitable for welding of low carbon Ni-Cr-Mo alloys, low carbon Ni-Cr-Mo alloys to steel and other nickel base alloys

Typical chemical composition of weld metal (wt%)

C	Cr	Ni	Mn	Fe	W	Mo
0.01	15.67	Bal.	0.40	5.910	3.12	15.96

Typical mechanical properties of weld metal

TS N/mm ²	EL %
745	41

Sizes available

MIG Solid Wire(mm)	0.8	0.9	1.0	1.2
TIG Rods(mm)	1.6	2.0	2.4	3.2